

DIVISION OF HEALTH AND MEDICAL SERVICES

www.doh.sd.gov

615 East 4th Street Pierre, SD 57501 Community Health Services
Disease Prevention
Family Health
Health Promotion
State Epidemiologist

DAY CARE DISEASES Fact Sheet

Office of Disease Prevention

(605) 773-3737

1-800-592-1861 in South Dakota only



Recommendations for Exclusion from the Child Care Setting (2003 Red Book, American Academy of Pediatrics, pp.126-128)

Children should be excluded from the child care setting for the following illnesses:

- Illness that prevents the child from participating comfortably in program activities.
- Illness that results in a greater need for care than the staff can provide without compromising the health and safety of the other children.
- Fever, lethargy, irritability, persistent crying, difficult breathing and/or other manifestations of possible severe illness.
- Influenza or RSV: until fever is gone and the child is well enough to attend and participate in usual
 activities.
- Diarrhea or stools that contain blood or mucus.
- E. Coli 0157:H7 or Shilgella infection: until diarrhea resolves and two stool cultures are negative.
- Vomiting two or more times in the previous 24 hours, unless the vomiting is determined to be caused by a noncommunicable condition and the child is not in danger of dehydration.
- Mouth Sores associated with drooling, unless a physician has determined it is not a communicable disease.
- Rash with fever or behavior change, until a physician has determined it is not a communicable disease.
- Pinkeye or Purulent Conjunctivitis (pink or red conjunctiva with white or yellow eye discharge, often with matted eyelids after sleep and eye pain or redness of the eyelids or skin surrounding the eyes): until examined by a physician and approved for re-admission, with treatment.
- Tuberculosis: until a physician, concurring with the SD Department of Health, states the child is not infectious.
- Impetigo (Streptococcal infection of the skin): until 24 hours after treatment has been initiated.
- Strep Throat (streptococcal pharyngitis): until 24 hours after treatment has been initiated.

DAY CARE DISEASES Fact Sheet (Continued)

Page 2 of 2

- Headlice (pediculosis): until after the first treatment.
- Scabies: until after treatment has been completed.
- Chicken Pox (Varicella): until sixth day after onset of rash or sooner if all lesions have dried and crusted.
- Whooping Cough (Pertussis): until five days of the appropriate antibiotic therapy (which is to be given for a total of 14 days) has been completed.
- Mumps: until nine days after onset of the parotid gland swelling.
- Measles: until four days after the onset of rash.
- Hepatitis A Virus Infection: until one week after onset of illness or jaundice (if symptoms are mild).

If you have questions about infectious diseases or immunization, contact the Department of Health or	
your physician.	
South Dakota Department of Health, Office of Disease Prevention: (605) 773-3737 or 1-800-592-1861	
Local Disease Intervention Specialist:	Phone:
Local DSS Child Care Licensing Office:	Phone:
•	

DSS Nondiscrimination Policy:

Department of Social Services (DSS) staff, programs and policies must not discriminate against clients or applicants for services because of race, color, sex, age, disability, religion and national origin. To file a complaint of discrimination write: PMB0141-1, DSS Human Resource Manager, 500 East Capitol Ave., Pierre, SD 57501-5070 or call: (605) 773-6941. If you have a question regarding program services, please contact your nearest DSS office.

2,000 copies of this document were printed by DSS at a cost of 10 cents per copy. DSS/CCS/2M/0304